QOD DOMINO SHORT 3X4 W

QOD DOMINO | LED under cabinet lights

- Compact spaces
- Furniture luminaire for optimum illumination of the task area
- Shelf/furniture lighting
- Kitchens
- Walls and panels

Product benefits

- Characteristic stylish design
- Extremely low profile: 10 mm
- Quick and simple installation (Plug & Light)
- Energy saving thanks to LED technology

Product features

- Color temperature: 3,000 K
- Low-profile furniture luminaires
- Integrated on/off switch
- Contains light bar with integrated switch, ECG and EU Plug

© 2013, OSRAM GmbH. All rights reserved.

Technical data

Electrical data

Nominal wattage	12.00 W
Mains frequency	50…60 Hz
Operating mode	Electronic control gear (ECG)

Light technical data

Color temperature	3000 K
Beam angle	45 °
Luminous flux	450 lm
Color rendering index Ra	73.2

Dimensions & weight

Length	330.0 mm
Width	80.0 mm
Height	10.0 mm

Colors & materials

Body material	Polycarbonate (PC)
Product color	White
Cover material	Polycarbonate (PC)
Reflector material	Polycarbonate (PC)

Temperatures

Ambient temperature range	…+25 °C

Additional product data

Number of lighting outlets	3

© 2013, OSRAM GmbH. All rights reserved.

Additional product data

Equipment	LED
Reflector type	Lens
New article	NEW

Capabilities

Type of installation	Surface mounting
With on/off switch	Yes
Type of connection	Plug transformer
Accessories	2x screws / 2x screw caps / Electronic control gear (ECG)

Certificates & standards

Standards	CE
Protection class	insulation class III (safety extra-low voltage)
Type of protection	IP20
Protection against ignition and fire	F, MM

© 2013, OSRAM GmbH. All rights reserved.

Logistical Data

Product code	Packaging unit (Pieces/Unit)	Dimensions (height x width x length)	Gross weight	Volume
4008321975010	Folding carton box 1	143 mm x 36 mm x 558 mm	729.00 g	2.87 dm^3
4008321975027	Shipping carton box 4	218 mm x 188 mm x 635 mm	4176.00 g	26.02 dm^3

Packaging image

© 2013, OSRAM GmbH. All rights reserved.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2013, OSRAM GmbH. All rights reserved.